

Stain removers

NO RUG

Product to remove rust stains from granite, stoneware, quartz and acid-resistant materials.



NO RUG is a water-based stain remover, especially formulated to remove **rust** stains from acid-resistant surfaces. The product is also effective on **saline efflorescence** and dark stains from **oxidation**.

NO RUG has a particular formulation that allows it to penetrate deep down, even into the most compact surfaces, such as brushed or polished finishes. Once there, it even removes the rust in the thickness of the material.

Once applied over the stain to be removed, the product works alone without needing any further processes, until it completely removes the stain. **NO RUG** is quick and easy to apply, and its use will not alter the surface's original appearance.

CHARACTERISTICS AND BENEFITS

- ✓ **Water-based** product
- ✓ Excellent **stain-removing** power
- ✓ **Quick** and **easy** application
- ✓ **Will not ruin** treated surfaces
- ✓ **Penetrates deep down**, removing the rust present **in the thickness of the material**

USES

This product **can be used** on both indoor and outdoor surfaces.

Suitable for use on: Marble-quartz agglomerate, Slate, Sandstone, Basaltina - Lava stone, Molten basalt, Glazed ceramics, Clinker, Cotto, Granite, Lapped porcelain stoneware, Polished porcelain stoneware, Natural porcelain stoneware, Textured porcelain stoneware, Exposed brick, Reconstituted stone (Eco stone), Porphyry, Quartzite, Terracotta, Tuff

COVERAGE

N.A.

APPLICATION EQUIPMENT

Brush, Spatula, Direct application to stains, Floor polisher



Stain removers

NO RUG - Product to remove rust stains from granite, stoneware, quartz and acid-resistant materials.

APPLICATION STEPS

Preparing and cleaning the surface

1. Carefully clean the surface, making sure to remove any dust or dirt present.
2. Do not apply NO RUG to overly heated surfaces. We recommend applying the product during the coolest periods of the day.
3. In the case in which the surface to be treated has a previous surface layer of wax, proceed to the removal of the same with *Double Stripping*.

Application

NO RUG must only be used alone. NEVER mix it with other chemicals, except for Faber Poultrice thickening powder

4. The product is for use without dilution. Pour the product straight onto the surface being treated. Use a brush, spatula or if simpler, pour directly onto the surface, covering it completely with a thick layer of product. When used on particularly large surfaces, such as when removing efflorescence and dark oxidation from floors, the product can be applied and worked with a mechanical polisher.

5. Leave the product to act on the surface until the stain has been completely extracted. The time required will depend on the intensity of the stain, its depth, stubbornness and the amount of time it has been there. Based on the above, it is not possible to provide an exact time period required by the product to remove the stain. We therefore recommend that you test the product reaction to get an idea of the time needed for a satisfactory result. In any case, the following information can serve as a guide:

- For surface rust marks that are pale in colour, especially on compact, non-absorbent material, the removal time is generally from **30 to 60 minutes**;
- For deep, dark rust marks below the surface, especially on porous, absorbent materials, the removal time can be from **1 to 4 hours**;
- For deep, dark rust stains and oxidation that have penetrated through particularly porous and absorbent materials, the removal time can vary from **8 to 24 hours**.

For stain removal operations requiring a longer period of time, we recommend covering the layer of product with plastic or nylon sheet. Similarly, we recommend applying a sufficiently thick layer of product to avoid having to add more in the event that it dries too quickly. This process allows the product better reaction with the stain rather than the surrounding environment, increasing the effectiveness of the treatment. When covering the product, it is important, after removing the sheet, to leave it exposed for around 30-60 minutes before removing it and cleaning the surface.

6. After the set period of time, proceed to remove the product and its residues, whether these are wet or dry. To remove NO RUG it is possible to use absorbent paper or cloths in case of small surfaces, soaking up and removing residues until the surface is completely clean. Wipe the surface with a slightly damp cloth and wait for it to dry thoroughly before assessing the stain removal results. In case of medium or large surfaces, remove all residues - wet or dry - with a broom and absorbent rags or a damp mop, until all excesses have been completely eliminated. Wipe the surface with a slightly damp cloth and wait for it to dry thoroughly before assessing the stain removal results.



LINEA
PROFESSIONALE



Stain removers

NO RUG - Product to remove rust stains from granite, stoneware, quartz and acid-resistant materials.



If the finished result is not totally satisfactory, repeat the product application process as described above, or decide on the need to sand the surface beforehand.

When working to remove more complex, deeper rust stains from natural stone, it may be necessary to pass over the surface with a mechanical polisher to increase the surface absorption and therefore, the penetration of the stain remover, for more effective results.

The depth of polishing will depend on the extent of stain penetrations. For very deep stains, you may need to work with lower grain size. This preliminary operation will achieve a much deeper extraction and in far less time.

We always recommend that, before using stain remover on large areas, you perform an initial test to see whether or not it is necessary to use a mechanical polisher on the surface beforehand. Once the stain has been removed, pass over the surface until it has the required shine.

Opening to floor traffic

7. After rinsing the surface with water, wait for the floor to dry completely before opening to foot traffic.

COMPLEMENTARY CLEANING AND MAINTENANCE PRODUCTS

- For *routine cleaning* of a surface treated with NO RUG we recommend: NEUGEL or ALGAFLOOR
- For *extraordinary cleaning* of a surface treated with NO RUG we recommend: FABER 30 or DETERFUG, according to the type of surface to be cleaned
- Following a stain removal operation using NO RUG we recommend using a *damp-proofing and/or stain-proofing treatment* to be selected according to the characteristics and intended use of the surface.

INSTRUCTIONS AND GUIDELINES

NO RUG must only be used alone. NEVER mix it with other chemicals, except for Faber Poulitice thickening powder

- Do not apply the product to overly heated surfaces.
- Do not apply the product when there is an imminent risk of rain or frost, or in the presence of mist.
- While applying the product to the surface concerned it must not be exposed to direct sunlight.
- Apply the product to surfaces in temperatures of between +5 and +40°C
- When using on recently laid or grouted surfaces, wait for the grout to cure completely.
- To achieve a visually pleasing, even result, above all in case of absorbent surfaces, we recommend applying the stain remover by treating areas that are larger than the single stained portions, such as a whole tile or room. These area can be decided according to the size and spread of the stain.
- Before applying the product to the whole surface, it is advisable to test a small, unexposed area or unused piece to check its suitability for use.



Stain removers

NO RUG - Product to remove rust stains from granite, stoneware, quartz and acid-resistant materials.

EQUIPMENT CLEANING

At the end of application, the equipment used can be washed using water.

SAFETY

When applying the product, always use suitable personal protective equipment and carefully follow the instructions on the product safety data sheet.

PHYSICAL AND TECHNICAL INFORMATION

Aspect:	Liquid
Colour:	Transparent
Odour	Odourless
Specific Gravity at 20°C	1043 ± 10 g/l
pH	1.5 ± 0.5
Flash Point (ASTM D 56)	Not inflammable

STORAGE

Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE

24 months in the original, sealed packaging, stored in a cool, dry place.

PACKAGING

- 1 l bottles - 12 bottles per box

HAZARD IDENTIFICATION



H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash ... thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container to ...

Version 3.0 – 06/02/2017

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and / or modify the data and information contained in the data sheet. The information in this data sheet is based on our wide experience in technical and operational research. In any case you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability with regard to the use of such data and suggestions.

FABER CHIMICA SRL – VIA G.CERESANI, 10 – LOC.CAMPO D'OLMO – 60044 – FABRIANO (AN) – ITALY

Phone: +39 0732 627178 | Fax: +39 0732 22935 | Email: info@faberchimica.com

Page 4 of 4



FABERSURFACECARE.COM

